



# **Stain Removal Suggestions**

# Table of Contents

<u>Markers</u> .....	1
<u>Introduction</u> .....	1
<u>Color Surge Paper</u> .....	2
<u>Color Surge\Neon Explosion/Glow Board/Color Wave Markers</u> .....	3
<u>Crayola Dry-Erase Markers</u> .....	9
<u>Erasable Markers</u> .....	15
<u>Markers</u> .....	23
<u>Twistables Markers</u> .....	29
<u>Washable Gel FX Markers</u> .....	35
<u>Washable Markers</u> .....	42
<u>Washable Window Markers</u> .....	48

# Markers

---

## Introduction

---

### *Stain Removal*

The suggestions for removing stains have been compiled as a service to our consumers. We are unable to guarantee or be responsible for the results obtained by these procedures. You may also wish to consult your local cleaner for further recommendations.

Before attempting the stain removal method, test each procedure on an inconspicuous area of the material or surface to be cleaned. Please be advised these stain removal methods involve hazardous products and are intended only for adult use. Crayola does not recommend children attempt these procedures.

In many procedures, specific brands of products are recommended. These are brands that performed most effectively in our laboratory. Always check individual containers for recommended procedures and warnings. Competitive brand products may work equally well.

# Color Surge Paper

---

## *Surface*

carpet

## *Materials*

- Sponge
- Woolite® Oxy Deep Spot Stain Carpet Cleaner
- Liquid dish soap
- Oxi Clean® Carpet Spot Stain Remover

## *Procedure*

\*Test on a small inconspicuous area to ensure there is no discoloration. Spray a light application of the carpet cleaning product on the stained area. Allow to rest overnight. If the stain remains, several light applications may be needed. When the stain is removed, wash the area with a mild soap and warm water to remove any residue. Vacuum when dry.

---

# Color Surge\Neon Explosion/Glow Board/Color Wave Markers

---

## *Surface*

appliances

## *Materials*

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Sponge
- Nail polish remover

## *Procedure*

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## *Surface*

carpet

## *Materials*

- Sponge
- Rubbing alcohol
- Upholstery/rug shampoo
- Capture® (spot and soil remover)

## *Procedure*

Dampen a sponge with alcohol and use a blotting motion to absorb the stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## *Surface*

chalkboard – slate or green

## *Materials*

- Soft Scrub (mild abrasive cleanser)
- Cotton balls

## Markers

Color SurgeNeon Explosion/Glow Board/Color Wave Markers

- Sponge
- Nail polish remover

## *Procedure*

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## *Surface*

clothing or fabrics

## *Materials*

- Laundry detergent
- Bleach for colored clothing (Clorox 2® or OxiClean powder)
- Cotton balls
- Paper towels
- Rubbing alcohol

## *Procedure*

Rinse stain from fabric with cold water until no more color is being removed. Place fabric on paper towels and saturate with alcohol using a cotton ball to blot the stain. Replace the paper towels as often as needed. Wash in hot water with laundry detergent and bleach for colored clothing and rinse in warm water.

---

## *Surface*

durable cloth car interiors

## *Materials*

- Sponge
- Rubbing alcohol
- Upholstery/rug shampoo
- Capture® (spot and soil remover)

## *Procedure*

Dampen a sponge with alcohol and use a blotting motion to absorb the stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## *Surface*

finished wood (paint, stain, varnish)

## ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Sponge
- Nail polish remover

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## ***Surface***

Formica®

## ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Sponge
- Nail polish remover

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## ***Surface***

marble

## ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Sponge
- Nail polish remover

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## ***Surface***

## ***Materials***

- Sponge
- Rubbing alcohol
- Upholstery/rug shampoo
- Capture® (spot and soil remover)

## ***Procedure***

Dampen a sponge with alcohol and use a blotting motion to absorb the stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## ***Surface***

painted walls

## ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Nail polish remover
- Sponge

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## ***Surface***

paneling

## ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Sponge
- Nail polish remover

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

## ***Surface***

plastic

## ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Sponge
- Nail polish remover

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## ***Surface***

tile

## ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Sponge
- Nail polish remover

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## ***Surface***

upholstery

## ***Materials***

- Sponge
- Rubbing alcohol
- Upholstery/rug shampoo
- Capture® (spot and soil remover)

## ***Procedure***

## Markers

Color Surge Neon Explosion/Glow Board/Color Wave Markers

Dampen a sponge with alcohol and use a blotting motion to absorb the stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## *Surface*

vinyl floor – no wax

## *Materials*

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Sponge
- Nail polish remover

## *Procedure*

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

# Crayola Dry-Erase Markers

---

## *Surface*

appliances

## *Materials*

- Cotton balls
- Sponge
- Rubbing alcohol
- Fantastik

## *Procedure*

Wipe all stains with a damp sponge. If any stain remains, apply Fantastik or Formuala 409 with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with rubbing alcohol, blot the remaining stain and rinse.

---

## *Surface*

carpet

## *Materials*

- Sponge
- Rubbing alcohol
- Upholstery/rug shampoo
- Capture® (spot and soil remover)

## *Procedure*

Dampen a sponge with rubbing alcohol and use a blotting motion to absorb the stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If the stain remains, us Capture spot and soil remover according to the directions on the container.

---

## *Surface*

chalkboard – slate or green

## *Materials*

- Cotton balls
- Sponge
- Rubbing alcohol

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Fantastik or Formula 409 with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with rubbing alcohol, blot the remaining stain and rinse.

---

## ***Surface***

clothing or fabrics

## ***Materials***

- Rubbing alcohol
- Laundry detergent
- Bleach for colored clothing (Clorox 2® or OxiClean powder)
- Cotton balls
- Paper towels

## ***Procedure***

Rinse stain from fabric with cold water until no more color is being removed. Place fabric on paper towels and saturate with alcohol using a cotton ball to blot the stain. Replace the paper towels as often as needed. Wash in hot water with laundry detergent and bleach for colored clothing and rinse in warm water.

---

## ***Surface***

durable cloth car interiors

## ***Materials***

- Sponge
- Rubbing alcohol
- Upholstery/rug shampoo
- Capture® (spot and soil remover)

## ***Procedure***

Dampen a sponge with rubbing alcohol and use a blotting motion to absorb the stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If the stain remains, use Capture spot and soil remover according to the directions on the container.

---

## ***Surface***

Formica®

## ***Materials***

- Cotton balls
- Sponge
- Rubbing alcohol
- Fantastik

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Fantastik or Formuala 409 with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with rubbing alcohol, blot the remaining stain and rinse.

---

## ***Surface***

Glow Station canvas

## ***Materials***

- Water
- Paper towels
- Soft cloth

## ***Procedure***

Wipe the stained area with a soft cloth or paper towel moistened with water. SPECIAL NOTES: Do not use a dry cloth to wipe the stains from the canvas, as this could force some pigment particles into the surface making the stain more difficult to remove.

---

## ***Surface***

marble

## ***Materials***

- Cotton balls
- Sponge
- Rubbing alcohol
- Fantastik

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Fantastik or Formuala 409 with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with rubbing alcohol, blot the remaining stain and rinse.

---

## ***Surface***

Painted wood

## ***Materials***

- Cotton balls
- Sponge
- Rubbing alcohol
- Formula 409®
- Fantastik

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Fantastik or Formula 409 with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with rubbing alcohol, blot the remaining stain and rinse.

---

## ***Surface***

paneling

## ***Materials***

- Cotton balls
- Sponge
- Rubbing alcohol
- Fantastik

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Fantastik or Formula 409 with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with rubbing alcohol, blot the remaining stain and rinse.

---

## ***Surface***

plastic

## ***Materials***

- Cotton balls
- Sponge
- Rubbing alcohol
- Fantastik

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Fantastik or Formula 409 with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with rubbing alcohol, blot the remaining stain and rinse.

---

## ***Surface***

## ***Materials***

- Cotton balls
- Sponge
- Rubbing alcohol
- Fantastik

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Fantastik or Formula 409 with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with rubbing alcohol, blot the remaining stain and rinse.

---

## ***Surface***

upholstery

## ***Materials***

- Sponge
- Rubbing alcohol
- Upholstery/rug shampoo
- Capture® (spot and soil remover)

## ***Procedure***

Dampen a sponge with rubbing alcohol and use a blotting motion to absorb the stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If the stain remains, use Capture spot and soil remover according to the directions on the container.

---

## ***Surface***

vinyl floor – no wax

## ***Materials***

- Cotton balls
- Sponge
- Rubbing alcohol
- Fantastik

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Fantastik or Formula 409 with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with rubbing alcohol, blot the remaining stain and rinse.

## *Surface*

whiteboard (porcelain or laminate)

## *Materials*

- Clorox Clean-Up (spray bottle)
- Whiteboard cleaner (any type)
- Rubbing alcohol
- Soft cloth
- Cotton balls
- Formula 409®

## *Procedure*

Wipe all stains with a whiteboard cleaner according to the directions on the container. If any stain remains, apply Formula 409 according to the directions on the container. If the stain persists, saturate a cotton ball with rubbing alcohol; blot the remaining stain and rinse. Or, you may use Clorox Clean-Up Cleaner (spray bottle) according to the directions on the container. You may also try the following: Use another color dry erase marker over the stain and wipe off while ink is still wet. Sometimes, using another color marker over the color, lifts the under color when erased. **ADDITIONAL NOTES** If whiteboard surface is porcelain, the dry erase marker should erase easily. If the whiteboard surface is laminate, use the suggestion provided. **NOT RECOMMENDED** – Soft Scrub or any abrasive cleaner.

---

# Erased Markers

---

## *Surface*

appliances

## *Materials*

- None

## *Procedure*

Allow the marker ink to dry. Rub off with fingers.

---

## *Surface*

carpet

## *Materials*

- Oxi Clean® carpet cleaner
- Spot Shot® (carpet stain remover)

## *Procedure*

Use according to the directions on the container. Repeat if necessary.

---

## *Surface*

carpet – rubber-backed nylon commercial grade or short pile 100% polyester

## *Materials*

- Oxi Clean® carpet cleaner
- Spot Shot® (carpet stain remover)

## *Procedure*

Use according to the directions on the container. Repeat if necessary.

---

## *Surface*

carpet–100%polyester/rubber back/short pile

***Materials***

- Oxi Clean® carpet cleaner
- Spot Shot® (carpet stain remover)

***Procedure***

Use according to the directions on the container. Repeat if necessary.

---

***Surface***

chalkboard – slate or green

***Materials***

- None

***Procedure***

Allow the marker ink to dry. Rub off with fingers.

---

***Surface***

durable cloth car interiors

***Materials***

- Oxi Clean® carpet cleaner
- Spot Shot® (carpet stain remover)

***Procedure***

Use according to the directions on the container. Repeat if necessary.

---

***Surface***

fabrics – fresh stains/heat-set stains

***Materials***

- None

***Procedure***

Marker ink is permanent on fabric. No recommendations for removing stain.

---

***Surface***

## ***Materials***

- None

## ***Procedure***

Allow the marker ink to dry. Rub off with fingers.

---

## ***Surface***

Formica®

## ***Materials***

- None

## ***Procedure***

Allow the marker ink to dry. Rub off with fingers.

---

## ***Surface***

glass

## ***Materials***

- None

## ***Procedure***

Allow the marker ink to dry. Rub off with fingers.

---

## ***Surface***

Grout

## ***Materials***

- None

## ***Procedure***

The marker ink is easily removed from non-porous surfaces. In the case of marble, wood paneling and wallpaper, if the surface is non-porous, the marker ink will be removed by allowing the marker ink to dry, then rub off with fingers. If the marble has cracks, the marker ink may not be easily removed. Porous or textured wallpaper, wood paneling or grout may

trap some of the marker ink and it may not be easily removed. Recommend using a soft or wire brush to try to remove the film. There is no chemical treatment to remove the film.

---

## *Surface*

Leather

## *Materials*

- None

## *Procedure*

Allow the marker ink to dry. Rub off with fingers.

---

## *Surface*

marble

## *Materials*

- None

## *Procedure*

The marker ink is easily removed from non-porous surfaces. In the case of marble, wood paneling and wallpaper, if the surface is non-porous, the marker ink will be removed by allowing the marker ink to dry, then rub off with fingers. If the marble has cracks, the marker ink may not be easily removed. Porous or textured wallpaper, wood paneling or grout may trap some of the marker ink and it may not be easily removed. Recommend using a soft or wire brush to try to remove the film. There is no chemical treatment to remove the film.

---

## *Surface*

metal

## *Materials*

- None

## *Procedure*

Allow the marker ink to dry. Rub off with fingers.

---

## *Surface*

mirrors

- None

**Procedure**

Allow the marker ink to dry. Rub off with fingers.

---

**Surface**

painting walls

**Materials**

- None

**Procedure**

Allow the marker ink to dry. Rub off with fingers.

---

**Surface**

plastic

**Materials**

- None

**Procedure**

Allow the marker ink to dry. Rub off with fingers.

---

**Surface**

porcelain

**Materials**

- None

**Procedure**

Allow the marker ink to dry. Rub off with fingers.

---

**Surface**

scrubbable wallpaper

***Materials***

- None

***Procedure***

Allow the marker ink to dry. Rub off with fingers.

---

***Surface***

tile

***Materials***

- None

***Procedure***

The marker ink is easily removed from non-porous surfaces. In the case of marble, wood paneling and wallpaper, if the surface is non-porous, the marker ink will be removed by allowing the marker ink to dry, then rub off with fingers. If the marble has cracks, the marker ink may not be easily removed. Porous or textured wallpaper, wood paneling or grout may trap some of the marker ink and it may not be easily removed. Recommend using a soft or wire brush to try to remove the film. There is no chemical treatment to remove the film.

---

***Surface***

unfinished wood (untreated/raw)

***Materials***

- None

***Procedure***

Marker ink is permanent. No recommendations for removing stain.

---

***Surface***

unwashable materials

***Materials***

- None

***Procedure***

Marker ink is permanent. No recommendations for removing stain.

## ***Surface***

upholstery

## ***Materials***

- Oxi Clean® carpet cleaner
- Spot Shot® (carpet stain remover)

## ***Procedure***

Use according to the directions on the container. Repeat if necessary.

---

## ***Surface***

vinyl floor – no wax

## ***Materials***

- None

## ***Procedure***

Allow the marker ink to dry. Rub off with fingers.

---

## ***Surface***

wallpaper

## ***Materials***

- None

## ***Procedure***

The marker ink is easily removed from non-porous surfaces. In the case of marble, wood paneling and wallpaper, if the surface is non-porous, the marker ink will be removed by allowing the marker ink to dry, then rub off with fingers. If the marble has cracks, the marker ink may not be easily removed. Porous or textured wallpaper, wood paneling or grout may trap some of the marker ink and it may not be easily removed. Recommend using a soft or wire brush to try to remove the film. There is no chemical treatment to remove the film.

---

## ***Surface***

whiteboard

***Materials***

- None

***Procedure***

Allow the marker ink to dry. Rub off with fingers.

---

***Surface***

wood paneling

***Materials***

- None

***Procedure***

The marker ink is easily removed from non-porous surfaces. In the case of marble, wood paneling and wallpaper, if the surface is non-porous, the marker ink will be removed by allowing the marker ink to dry, then rub off with fingers. If the marble has cracks, the marker ink may not be easily removed. Porous or textured wallpaper, wood paneling or grout may trap some of the marker ink and it may not be easily removed. Recommend using a soft or wire brush to try to remove the film. There is no chemical treatment to remove the film.

---

# Markers

---

## *Surface*

appliance

## *Materials*

- Cotton balls
- Nail polish remover
- Soft Scrub® (mild abrasive cleanser)
- Sponge

## *Procedure*

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## *Surface*

carpet

## *Materials*

- Sponge
- Rubbing alcohol
- Upholstery/rug shampoo
- Capture® (spot and soil remover)

## *Procedure*

Dampen a sponge with alcohol and use a blotting motion to absorb the stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## *Surface*

chalkboard – slate or green

## *Materials*

- Cotton balls
- Sponge
- Nail polish remover

- Soft Scrub® (mild abrasive cleanser)

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## ***Surface***

clothing or fabrics

## ***Materials***

- Rubbing alcohol
- Laundry detergent
- Bleach for colored clothing (Clorox 2® or Biz®)
- Paper towels
- Cotton ball

## ***Procedure***

Rinse stain from the fabric with cold water until no more color is being removed. Place fabric on paper towels and saturate with alcohol using a cotton ball to blot the stain. Replace the paper towels as often as needed. Wash in hot water with laundry detergent and bleach and rinse in warm water.

---

## ***Surface***

durable cloth car interiors

## ***Materials***

- Rubbing alcohol
- Upholstery/rug shampoo
- Capture® (spot and soil remover)
- Sponge

## ***Procedure***

Dampen a sponge with alcohol and use a blotting motion to absorb the stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## ***Surface***

finished wood (paint, stain, varnish)

## ***Materials***

- Cotton balls
- Sponge
- Nail polish remover
- Soft Scrub® (mild abrasive cleanser)

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## ***Surface***

Formica®

## ***Materials***

- Cotton balls
- Sponge
- Nail polish remover
- Soft Scrub® (mild abrasive cleanser)

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## ***Surface***

marble

## ***Materials***

- Cotton balls
- Sponge
- Nail polish remover
- Soft Scrub® (mild abrasive cleanser)

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## ***Surface***

## ***Materials***

- Sponge
- Rubbing alcohol
- Upholstery/rug shampoo
- Capture® (spot and soil remover)

## ***Procedure***

Dampen a sponge with alcohol and use a blotting motion to absorb the stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## ***Surface***

painted walls

## ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Sponge
- Nail polish remover

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## ***Surface***

paneling

## ***Materials***

- Cotton balls
- Sponge
- Nail polish remover
- Soft Scrub® (mild abrasive cleanser)

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

## *Surface*

plastic

## *Materials*

- Sponge
- Cotton balls
- Nail polish remover
- Soft Scrub® (mild abrasive cleanser)

## *Procedure*

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## *Surface*

tile

## *Materials*

- Cotton balls
- Sponge
- Nail polish remover
- Soft Scrub® (mild abrasive cleanser)

## *Procedure*

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## *Surface*

upholstery

## *Materials*

- Sponge
- Rubbing alcohol
- Upholstery/rug shampoo
- Capture® (spot and soil remover)

## *Procedure*

Dampen a sponge with alcohol and use a blotting motion to absorb the stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## ***Surface***

vinyl flooring–no wax

## ***Materials***

- Cotton balls
- Sponge
- Nail polish remover
- Soft Scrub® (mild abrasive cleanser)

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

# Twistables Markers

---

## *Surface*

appliances

## *Materials*

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Sponge
- Nail polish remover

## *Procedure*

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## *Surface*

carpet

## *Materials*

- Sponge
- Upholstery/rug shampoo
- Capture® (spot and soil remover)
- Rubbing alcohol

## *Procedure*

Dampen a sponge with alcohol and use a blotting motion to absorb the stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## *Surface*

chalkboard – slate or green

## *Materials*

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Sponge

- Nail polish remover

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## ***Surface***

clothing or fabrics

## ***Materials***

- Laundry detergent
- Bleach for colored clothing (Clorox 2® or OxiClean powder)
- Cotton balls
- Paper towels
- Rubbing alcohol

## ***Procedure***

Rinse stain from fabric with cold water until no more color is being removed. Place fabric on paper towels and saturate with alcohol using a cotton ball to blot the stain. Replace the paper towels as often as needed. Wash in hot water with laundry detergent and bleach for colored clothing and rinse in warm water.

---

## ***Surface***

durable cloth car interiors

## ***Materials***

- Sponge
- Upholstery/rug shampoo
- Capture® (spot and soil remover)
- Rubbing alcohol

## ***Procedure***

Dampen a sponge with alcohol and use a blotting motion to absorb the stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## ***Surface***

Formica®

## ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Sponge
- Nail polish remover

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## ***Surface***

marble

## ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Sponge
- Nail polish remover

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## ***Surface***

painted walls

## ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Sponge
- Nail polish remover

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## ***Surface***

## ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Sponge
- Nail polish remover

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## ***Surface***

paneling

## ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Sponge
- Nail polish remover

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## ***Surface***

plastic

## ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Sponge
- Nail polish remover

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## ***Surface***

tile

### ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Sponge
- Nail polish remover

### ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

## ***Surface***

upholstery

### ***Materials***

- Sponge
- Upholstery/rug shampoo
- Capture® (spot and soil remover)
- Rubbing alcohol

### ***Procedure***

Dampen a sponge with alcohol and use a blotting motion to absorb the stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## ***Surface***

vinyl floor – no wax

### ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Cotton balls
- Sponge
- Nail polish remover

### ***Procedure***

## Markers

## Twistables Markers

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with nail polish remover, blot the remaining stain and rinse.

---

# Washable Gel FX Markers

---

## *Surface*

appliances

## *Materials*

- Soft cloth
- Paper towels
- Liquid dish soap
- Water
- Windex®

## *Procedure*

Use water, Windex window cleaner, Formula 409 cleaner, or liquid dish soap to wash the surface. After washing, the surface should be wiped with a dry paper towel to remove residue.

---

## *Surface*

carpet

## *Materials*

- Sponge
- Rubbing alcohol
- Upholstery/rug shampoo
- Capture® (spot and soil remover)

## *Procedure*

Dampen a sponge with alcohol and use a blotting motion to absorb the marker stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## *Surface*

carpet–100% nylon

## *Materials*

- Cotton balls
- Sponge
- Rubbing alcohol

- Spot Shot® (carpet stain remover)

## ***Procedure***

Blot stain with a damp sponge, changing the sponge as it picks up stain. If any stain remains, apply alcohol to a cotton ball and blot. If stain persists, apply alcohol to a cotton ball and place on the stain with a weight on the cotton ball. Cover with a glass jar or equivalent to keep the cotton ball moist overnight. If stain is still noticeable, apply Spot Shot as recommended on the container. SPECIAL NOTE: Do not leave Spot Shot on for more than 8 hours. Check after 4 hours.

---

## ***Surface***

chalkboard – slate or green

## ***Materials***

- Paper towels
- Soft cloth
- Liquid dish soap
- Water
- Windex®

## ***Procedure***

Use water, Windex window cleaner, Formula 409 cleaner, or liquid dish soap to wash the surface. After washing, the surface should be wiped with a dry paper towel to remove residue.

---

## ***Surface***

clothing or fabrics

## ***Materials***

- Laundry detergent
- Bleach for colored clothing (Clorox 2® or OxiClean powder)

## ***Procedure***

If you notice the stain before laundering, rinse stain with hot water. Wash in hot water with laundry detergent for about 12 minutes (heavy soil cycle). Soak in OxiClean or Clorox 2 solution, according to the instructions on the container, for one hour and repeat laundry cycle. Repeated laundering should remove any residual stains.

---

## ***Surface***

durable cloth car interiors

## ***Materials***

- Sponge
- Rubbing alcohol
- Upholstery/rug shampoo
- Capture® (spot and soil remover)

## *Procedure*

Dampen a sponge with alcohol and use a blotting motion to absorb the marker stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## *Surface*

finished wood (paint, stain, varnish)

## *Materials*

- Water
- Soft cloth
- Soft Scrub Bleach (non–abrasive cleanser)

## *Procedure*

Apply Soft Scrub with bleach to a soft cloth and wipe the stain. After stain is removed, wipe the surface with a damp cloth to remove any residue.

### **Special Note:**

The stain may not be removable from flat paint with the above products. You may need to lightly sand the stained area to remove all color and then repaint.

---

## *Surface*

Formica®

## *Materials*

- Paper towels
- Soft cloth
- Liquid dish soap
- Water
- Windex®

## *Procedure*

Use water, Windex window cleaner, Formula 409 cleaner, or liquid dish soap to wash the surface. After washing, the surface should be wiped with a dry paper towel to remove residue.

---

## *Surface*

## ***Materials***

- Soft cloth
- Soft Scrub Bleach (non–abrasive cleanser)
- Water

## ***Procedure***

Apply Soft Scrub with bleach to a soft cloth and wipe the stain. After stain is removed, wipe the surface with a damp cloth to remove any residue.

### **Special Note:**

The stain may not be removable from flat paint with the above products. You may need to lightly sand the stained area to remove all color and then repaint.

---

## ***Surface***

paneling

## ***Materials***

- Paper towels
- Soft cloth
- Liquid dish soap
- Water
- Windex®

## ***Procedure***

Use water, Windex window cleaner, Formula 409 cleaner, or liquid dish soap to wash the surface. After washing, the surface should be wiped with a dry paper towel to remove residue.

---

## ***Surface***

plastic

## ***Materials***

- Soft cloth
- Water
- Paper towels
- Liquid dish soap
- Windex®

## ***Procedure***

Use water, Windex window cleaner, Formula 409 cleaner, or liquid dish soap to wash the

surface. After washing, the surface should be wiped with a dry paper towel to remove residue.

---

## *Surface*

Plexiglass

## *Materials*

- Paper towels
- Soft cloth
- Liquid dish soap
- Water
- Windex®

## *Procedure*

Use water, Windex window cleaner, Formula 409 cleaner, or liquid dish soap to wash the surface. After washing, the surface should be wiped with a dry paper towel to remove residue.

---

## *Surface*

porous surfaces

## *Materials*

- Soft cloth
- Water
- Soft Scrub Bleach (non–abrasive cleanser)

## *Procedure*

Apply Soft Scrub with bleach to a soft cloth and wipe the stain. After stain is removed, wipe the surface with a damp cloth to remove any residue.

### **Special Notes:**

- ◆ The stain may not be removable from flat paint with the above products. You may need to lightly sand the stained area to remove all color and then repaint.
  - ◆ Use very fine sandpaper on untreated wood, sand gently until color is gone.
  - ◆ On grout use Soft Scrub with bleach to clean the stain.
- 

## *Surface*

scrubbable wallpaper

## *Materials*

- Water
- Soft cloth

- Soft Scrub Bleach (non–abrasive cleanser)
- Liquid dish soap

## ***Procedure***

Mix water and liquid dish soap and wash the area. Or, apply Soft Scrub with bleach to a soft cloth and wipe the stain. After stain is removed, wipe the surface with a damp cloth to remove any residue.

---

## ***Surface***

tile

## ***Materials***

- Paper towels
- Soft cloth
- Liquid dish soap
- Water
- Windex®

## ***Procedure***

Use water, Windex window cleaner, Formula 409 cleaner, or liquid dish soap to wash the surface. After washing, the surface should be wiped with a dry paper towel to remove residue.

---

## ***Surface***

upholstery

## ***Materials***

- Sponge
- Rubbing alcohol
- Upholstery/rug shampoo
- Capture® (spot and soil remover)

## ***Procedure***

Dampen a sponge with alcohol and use a blotting motion to absorb the marker stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## ***Surface***

vinyl floor – no wax

## ***Materials***

## Markers

## Washable Gel FX Markers

- Water
- Paper towels
- Liquid dish soap

### *Procedure*

Mix liquid dish soap with water and wipe stain. Using dry paper towels, remove any chalk-like residue. Or, you may use Formula 409 cleaner to remove the stain.

---

# Washable Markers

---

## *Surface*

appliance

## *Materials*

- Soft Scrub (mild abrasive cleanser)
- Sponge
- Cotton ball
- Rubbing alcohol

## *Procedure*

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If stain remains, saturate a cotton ball with alcohol and blot the stain and rinse.

---

## *Surface*

carpet

## *Materials*

- Sponge
- Rubbing alcohol
- Upholstery/rug shampoo
- Capture® (spot and soil remover)

## *Procedure*

Dampen a sponge with alcohol and use a blotting motion to absorb the marker stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## *Surface*

carpet–100% nylon

## *Materials*

- Sponge
- Cotton balls
- Rubbing alcohol

- Spot Shot® (carpet stain remover)

## ***Procedure***

Blot stain with a damp sponge, changing the sponge as it picks up stain. If any stain remains, apply alcohol to a cotton ball and blot. If stain persists, apply alcohol to a cotton ball and place on the stain with a weight on the cotton ball. Cover with a glass jar or equivalent to keep the cotton ball moist overnight. If stain is still noticeable, apply Spot Shot as recommended on the container. **Special Note** Do not leave Spot Shot on for more than 8 hours. Check after 4 hours.

---

## ***Surface***

chalkboard – slate or green

## ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Sponge
- Cotton ball
- Rubbing alcohol

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If stain remains, saturate a cotton ball with alcohol and blot the stain and rinse.

---

## ***Surface***

clothing or fabrics

## ***Materials***

- Laundry detergent
- Bleach for colored clothing (Clorox 2® or OxiClean powder)

## ***Procedure***

If stain is noticed before laundering, rinse with hot water. Wash in hot water with laundry detergent for about 12 minutes (heavy soil cycle). Soak in a solution of Oxi Clean or Clorox 2 according to the instruction on the container for one hour. Repeat laundry cycle. Repeat laundering should remove any residual stains.

---

## ***Surface***

durable cloth car interiors

## ***Materials***

- Rubbing alcohol
- Sponge
- Upholstery/rug shampoo

## ***Procedure***

Dampen a sponge with alcohol and use a blotting motion to absorb the marker stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## ***Surface***

finished wood (paint, stain, varnish)

## ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Sponge
- Cotton ball
- Rubbing alcohol

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If stain remains, saturate a cotton ball with alcohol and blot the stain and rinse.

---

## ***Surface***

Formica®

## ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Sponge
- Cotton ball
- Rubbing alcohol

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If stain remains, saturate a cotton ball with alcohol and blot the stain and rinse.

---

## ***Surface***

marble

## ***Materials***

- Rubbing alcohol
- Cotton balls
- marble cleaner
- Sponge
- Formula 409®

## ***Procedure***

If using a marble cleaner, use per the directions on the container. If using Formula 409, wipe the stain with a damp sponge. If any stain remains, apply Formula 409 with a damp sponge, work in a circular motion and rinse. If the stain persists, saturate a cotton ball with rubbing alcohol, blot the remaining stain and rinse.

---

## ***Surface***

    painted walls

## ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Sponge
- Cotton ball
- Rubbing alcohol

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If stain remains, saturate a cotton ball with alcohol and blot the stain and rinse.

---

## ***Surface***

    paneling

## ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Sponge
- Cotton ball
- Rubbing alcohol

## ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If stain remains, saturate a cotton ball with alcohol and blot the stain and rinse.

---

## ***Surface***

plastic

### ***Materials***

- Soft Scrub (mild abrasive cleanser)
- Sponge
- Cotton ball
- Rubbing alcohol

### ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If stain remains, saturate a cotton ball with alcohol and blot the stain and rinse.

---

## ***Surface***

tile

### ***Materials***

- Sponge
- Cotton balls
- Rubbing alcohol
- Soft Scrub® (mild abrasive cleanser)

### ***Procedure***

Wipe all stains with a damp sponge. If any stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If stain remains, saturate a cotton ball with alcohol, blot the stain and rinse.

---

## ***Surface***

upholstery

### ***Materials***

- Sponge
- Rubbing alcohol
- Upholstery/rug shampoo
- Capture® (spot and soil remover)

### ***Procedure***

Dampen a sponge with alcohol and use a blotting motion to absorb the marker stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on

the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## ***Surface***

vinyl flooring–no wax

## ***Materials***

- Sponge
- Cotton balls
- Rubbing alcohol
- Spot Shot® (carpet stain remover)

## ***Procedure***

Blot stain with a damp sponge, changing the sponge as it picks up stain. If any stain remains, apply alcohol to a cotton ball and blot. If stain persists, apply alcohol to a cotton ball and place on the stain with a weight on the cotton ball. Cover with a glass jar or equivalent to keep the cotton ball moist overnight. If stain is still noticeable, apply Spot Shot as recommended on the container. **Special Note** Do not leave Spot Shot on for more than 8 hours. Check after 4 hours.

---

# Washable Window Markers

---

## *Surface*

appliances

## *Materials*

- Water
- Paper towels
- Soft cloth
- Liquid dish soap
- Windex®

## *Procedure*

Use water, Windex window cleaner, Formula 409 cleaner or liquid dish soap to wash the surface. After washing, the surface should be wiped with a dry towel to remove chalk-like residue.

---

## *Surface*

auto body

## *Materials*

- soap for automobiles
- Water

## *Procedure*

Using soap for automobiles and water, wash the auto body. If stain remains, repeat washing. For additional assistance, contact a local auto body shop.

---

## *Surface*

carpet

## *Materials*

- Sponge
- Rubbing alcohol
- Upholstery/rug shampoo
- Capture® (spot and soil remover)

## *Procedure*

## Markers

## Washable Window Markers

Dampen a sponge with alcohol and use a blotting motion to absorb the marker stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## *Surface*

carpet–100% nylon

## *Materials*

- Cotton balls
- Sponge
- Rubbing alcohol
- Spot Shot® (carpet stain remover)

## *Procedure*

Blot stain with a damp sponge, changing the sponge as it picks up stain. If any stain remains, apply alcohol to a cotton ball and blot. If stain persists, apply alcohol to a cotton ball and place on the stain with a weight on the cotton ball. Cover with a glass jar or equivalent to keep the cotton ball moist overnight. If stain is still noticeable, apply Spot Shot as recommended on the container. SPECIAL NOTE: Do not leave Spot Shot on for more than 8 hours. Check after 4 hours.

---

## *Surface*

chalkboard – slate or green

## *Materials*

- Water
- Paper towels
- Soft cloth
- Liquid dish soap
- Windex®

## *Procedure*

Use water, Windex window cleaner, Formula 409 cleaner or liquid dish soap to wash the surface. After washing, the surface should be wiped with a dry towel to remove chalk–like residue.

---

## *Surface*

clothing or fabrics

## *Materials*

- Laundry detergent
- Bleach for colored clothing (Clorox 2® or OxiClean powder)

## *Procedure*

If you notice the stain before laundering, rinse stain with hot water. Wash in hot water with laundry detergent for about 12 minutes (heavy soil cycle). Soak in OxiClean or Clorox 2 solution, according to the instructions on the container, for one hour and repeat laundry cycle. Repeated laundering should remove any residual stains.

---

## *Surface*

durable cloth car interiors

## *Materials*

- Sponge
- Rubbing alcohol
- Upholstery/rug shampoo
- Capture® (spot and soil remover)

## *Procedure*

Dampen a sponge with alcohol and use a blotting motion to absorb the marker stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## *Surface*

finished wood (paint, stain, varnish)

## *Materials*

- Soft cloth
- Soft Scrub Bleach (non-abrasive cleanser)
- Water

## *Procedure*

Apply Soft Scrub® with bleach to a soft cloth and wipe the stain. After stain is removed, wipe the surface with a damp cloth to remove any residue.

**Special Note:** The stain may not be removable using the above product. You may need to lightly sand the stained area to remove all color and then repaint.

---

## *Surface*

Formica®

## ***Materials***

- Water
- Paper towels
- Soft cloth
- Liquid dish soap
- Windex®

## ***Procedure***

Use water, Windex window cleaner, Formula 409 cleaner or liquid dish soap to wash the surface. After washing, the surface should be wiped with a dry towel to remove chalk-like residue.

---

## ***Surface***

glass

## ***Materials***

- Water
- Paper towels
- Soft cloth
- Liquid dish soap
- Windex®

## ***Procedure***

Use water, Windex window cleaner, Formula 409 cleaner or liquid dish soap to wash the surface. After washing, the surface should be wiped with a dry towel to remove chalk-like residue.

---

## ***Surface***

painted walls

## ***Materials***

- Soft cloth
- Soft Scrub Bleach (non-abrasive cleanser)
- Water

## ***Procedure***

Apply Soft Scrub® with bleach to a soft cloth and wipe the stain. After stain is removed, wipe the surface with a damp cloth to remove any residue.

**Special Note:** The stain may not be removable from flat paint using the above products. You may need to lightly sand the stained area to remove all color and then repaint.

## *Surface*

paneling

## *Materials*

- Water
- Paper towels
- Soft cloth
- Liquid dish soap
- Windex®

## *Procedure*

Use water, Windex window cleaner, Formula 409 cleaner or liquid dish soap to wash the surface. After washing, the surface should be wiped with a dry towel to remove chalk-like residue.

---

## *Surface*

plastic

## *Materials*

- Water
- Paper towels
- Soft cloth
- Liquid dish soap
- Windex®

## *Procedure*

Use water, Windex window cleaner, Formula 409 cleaner or liquid dish soap to wash the surface. After washing, the surface should be wiped with a dry towel to remove chalk-like residue.

---

## *Surface*

Plexiglass

## *Materials*

- Water
- Paper towels
- Soft cloth
- Liquid dish soap
- Windex®

## ***Procedure***

Use water, Windex window cleaner, Formula 409 cleaner or liquid dish soap to wash the surface. After washing, the surface should be wiped with a dry towel to remove chalk-like residue.

---

## ***Surface***

porous surfaces

## ***Materials***

- Soft cloth
- Soft Scrub Bleach (non-abrasive cleanser)
- Water

## ***Procedure***

Apply Soft Scrub® with bleach to a soft cloth and wipe the stain. After stain is removed, wipe the surface with a damp cloth to remove any residue.

### **Special Notes:**

- ◆ The stain may not be removable from flat paint using the above products. You may need to lightly sand the stained area to remove all color and then repaint.
  - ◆ On untreated wood, use very fine sandpaper. Sand gently until color is gone.
- 

## ***Surface***

scrubbable wallpaper

## ***Materials***

- Water
- Soft cloth
- Soft Scrub Bleach (non-abrasive cleanser)
- Liquid dish soap

## ***Procedure***

Mix water and liquid dish soap and wash the area. Or, apply Soft Scrub with bleach to a soft cloth and wipe the stain. After stain is removed, wipe the surfaces with a damp cloth to remove any residue.

---

## ***Surface***

tile

## ***Materials***

- Water
- Paper towels
- Soft cloth
- Liquid dish soap
- Windex®

## ***Procedure***

Use water, Windex window cleaner, Formula 409 cleaner or liquid dish soap to wash the surface. After washing, the surface should be wiped with a dry towel to remove chalk-like residue.

---

## ***Surface***

upholstery

## ***Materials***

- Sponge
- Rubbing alcohol
- Upholstery/rug shampoo
- Capture® (spot and soil remover)

## ***Procedure***

Dampen a sponge with alcohol and use a blotting motion to absorb the marker stain, changing the sponge as often as needed. Apply upholstery/rug shampoo according to the directions on the container. If stain remains, use Capture spot and soil remover according to the directions on the container.

---

## ***Surface***

vinyl floor – no wax

## ***Materials***

- Water
- Paper towels
- Liquid dish soap

## ***Procedure***

Mix liquid dish soap with water and wipe stain. Using dry paper towels, remove any chalk-like residue. Or, you may use Formula 409 cleaner to remove the stain.

---