



Stain Removal Suggestions

Table of Contents

<u>Modeling Compounds</u>	1
<u>Introduction</u>	1
<u>Crayola Air-Dry Clay</u>	2
<u>Dough</u>	13
<u>Model Magic® Model Magic Fusion</u>	18
<u>Modeling Clay</u>	24
<u>Wet Set(TM) Clay</u>	28

Modeling Compounds

Introduction

Stain Removal

The suggestions for removing stains have been compiled as a service to our consumers. We are unable to guarantee or be responsible for the results obtained by these procedures. You may also wish to consult your local cleaner for further recommendations.

Before attempting the stain removal method, test each procedure on an inconspicuous area of the material or surface to be cleaned. Please be advised these stain removal methods involve hazardous products and are intended only for adult use. Crayola does not recommend children attempt these procedures.

In many procedures, specific brands of products are recommended. These are brands that performed most effectively in our laboratory. Always check individual containers for recommended procedures and warnings. Competitive brand products may work equally well.

Crayola Air-Dry Clay

Surface

appliances

Materials

- Paper towels
- Soft bristle brush
- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Surface

asphalt (blacktop)

Materials

- Stiff bristle brush
- hose and water

Procedure

Brush off excess dry or wet air-dry clay with a stiff bristle brush. Hose area with water. If stain remains or there is a white residue, repeat procedure.

Surface

brick

Materials

- Stiff bristle brush
- hose and water

Procedure

Brush off excess dry or wet air-dry clay with a stiff bristle brush. Hose area with water. If stain remains or there is a white residue, repeat procedure.

Surface

carpet

Materials

- Dull knife or metal spoon
- Soft bristle brush
- spray bottle with water

Procedure

Allow the air-dry clay to dry before proceeding with removal. Scrape off excess air-dry clay with dull knife or metal spoon. Brush dried air-dry clay with a soft bristle brush to remove from carpet. A light water spray may be used to remove the dust from the surface. If stain remains, repeat procedure.

Surface

cement

Materials

- Stiff bristle brush
- hose and water

Procedure

Brush off excess dry or wet air-dry clay with a stiff bristle brush. Hose area with water. If stain remains or there is a white residue, repeat procedure.

Surface

ceramic floor tile

Materials

- Paper towels
- Soft bristle brush
- spray bottle with water

Procedure

Brush off excess of dry or wet air–dry clay with a soft bristle brush. Spray surface with water and continue to wipe clean with paper towels. If stain remains or there is a white residue, repeat procedure. **SPECIAL NOTE** Do not scrape with a plastic paint scraper. If you apply too much pressure, scoring may occur on the ceramic tile surface.

Surface

chalkboard – slate or green

Materials

- Paper towels
- Soft bristle brush
- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Surface

concrete

Materials

- Stiff bristle brush
- hose and water

Procedure

Brush off excess dry or wet air–dry clay with a stiff bristle brush. Hose area with water. If stain remains or there is a white residue, repeat procedure.

Surface

durable cloth car interiors

Materials

- Paper towels
- Soft bristle brush
- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Surface

fabrics – fresh stains/heat-set stains

Materials

- Dull knife or metal spoon
- Tide® powder detergent with bleach
- hot water/cold rinse

Procedure

Fabric (fresh)—Scrape off excess wet or dry air-dry clay using a dull knife or metal spoon. Wash the fabric in hot water/cold rinse with Tide with bleach on heavy duty cycle. If stain remains, repeat procedure. Fabric (heat-set, melted)—Presoak the fabric in Tide with bleach according to the directions on the container. Wash as directed above.

Surface

finished wood (paint, stain, varnish)

Materials

- Paper towels
- Soft bristle brush
- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Surface

Formica®

Materials

- Paper towels

- Soft bristle brush
- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Surface

glass

Materials

- Paper towels
- Soft bristle brush
- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Surface

Grout

Materials

- Paper towels
- Soft bristle brush
- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Surface

Leather

Materials

- Paper towels
- leather conditioner
- spray bottle with water

Procedure

Gently wipe the air-dry clay from the surface with paper towels. Spray the surface with water and wipe with paper towels. If stain or white residue remains, repeat procedure. A leather conditioner may be needed to restore the luster of the leather.

Surface

marble

Materials

- Paper towels
- Soft bristle brush
- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Surface

metal

Materials

- Paper towels
- Soft bristle brush
- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Surface

mirrors

Materials

- Paper towels
- Soft bristle brush
- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Surface

painted wallboard

Materials

- Paper towels
- Soft bristle brush
- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Surface

painted walls

Materials

- Paper towels
- Soft bristle brush
- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Surface

plastic

Materials

- Paper towels
- Soft bristle brush
- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Surface

porcelain

Materials

- Paper towels
- Soft bristle brush
- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Surface

scrubbable wallpaper

Materials

- Paper towels
- Soft bristle brush
- spray bottle with water

Procedure

Brush off excess dry or wet air-dry clay with a soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain remains or there is a white residue, repeat procedure. **SPECIAL PRECAUTION** If the wallpaper is relatively smooth, try to clean the area after the air-dry clay has dried. If you apply too much pressure, scratching may occur on the wallpaper surface.

Surface

tile

Materials

- Paper towels
- Soft bristle brush
- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Surface

unwashable materials

Materials

- Paper towels
- Soft bristle brush
- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Surface

upholstery

Materials

- Paper towels
- Soft bristle brush

- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Surface

vinyl floor – no wax

Materials

- Paper towels
- Soft bristle brush
- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Surface

wallpaper

Materials

- Paper towels
- Soft bristle brush
- spray bottle with water

Procedure

Brush off excess dry or wet air-dry clay with a soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain remains or there is a white residue, repeat procedure. **SPECIAL PRECAUTION** If the wallpaper is relatively smooth, try to clean the area after the air-dry clay has dried. If you apply too much pressure, scratching may occur on the wallpaper surface.

Surface

whiteboard (porcelain or laminate)

Materials

- Paper towels
- Soft bristle brush
- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Surface

wood paneling

Materials

- Paper towels
- Soft bristle brush
- plastic paint scraper
- spray bottle with water

Procedure

Scrape or brush off excess dry or wet clay with a plastic paint scraper or soft bristle brush. Spray area with water and continue to wipe clean with paper towels. If stain or white residue remains, repeat procedure.

Dough

Surface

appliance

Materials

- Cotton ball
- Sponge
- Liquid dish soap
- Cold water
- Soft Scrub (mild abrassive clesnser)
- Rubbing alcohol

Procedure

Remove all large pieces of dried dough manually. Add liquid dish soap to cold water. Wash the stain in a circular motion using a sponge and rinse. If stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If stain persists, saturate a cotton ball with rubbing alcohol. blot the stain and rinse.

Surface

carpeting

Materials

- Stiff bristle brush
- Sponge
- Liquid dish soap
- Cold water

Procedure

Remove any large clumps of wet dough manually. Do not rub wet dough into carpet or fabric fibers. Allow dough to dry overnight or at least 4 hours. Add liquid dish detergent to cold water. Slowly work the dough out of the carpet or fabric using the soapy water and a stiff bristle brush. Manually remove pieces of dough as they are loosened from the stained area to prevent the dough from getting worked back into the fibers. Blot stain away with a damp sponge. If stain persists, use Resolve carpet cleaner according to the directions on the container.

Surface

durable cloth car interiors

Materials

- Stiff bristle brush
- Sponge
- Liquid dish soap
- Cold water

Procedure

Remove any large clumps of wet dough manually. Do not rub wet dough into carpet or fabric fibers. Allow dough to dry overnight or at least 4 hours. Add liquid dish detergent to cold water. Slowly work the dough out of surface using the soapy water and a stiff bristle brush. Manually remove pieces of dough as they are loosened from the stained area to prevent the dough from getting worked back into the fibers. Blot stain away with a damp sponge. If stain persists, use Resolve carpet cleaner according to the directions on the container.

Surface

finished wood (paint, stain, varnish)

Materials

- Cotton ball
- Sponge
- Liquid dish soap
- Cold water
- Soft Scrub (mild abrsive clesnsr)
- Rubbing alcohol

Procedure

Remove all large pieces of dried dough manually. Add liquid dish detergent to cold water. Wash the stain in a circular motion using a sponge and rinse. If stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If stain persists, saturate a cotton ball with rubbing alcohol. blot the stain and rinse.

Surface

Formica® and metal

Materials

- Cotton ball
- Sponge
- Liquid dish soap
- Cold water
- Soft Scrub (mild abrsive clesnsr)
- Rubbing alcohol

Procedure

Remove all large pieces of dried dough manually. Add liquid dish detergent to cold water. Wash the stain in a circular motion using a sponge and rinse. If stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If stain persists, saturate a cotton ball with rubbing alcohol. blot the stain and rinse.

Surface

hard plastic

Materials

- Cotton ball
- Sponge
- Liquid dish soap
- Cold water
- Soft Scrub (mild abrssive clesnsr)
- Rubbing alcohol

Procedure

Remove all large pieces of dried dough manually. Add liquid dish detergent to cold water. Wash the stain in a circular motion using a sponge and rinse. If stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If stain persists, saturate a cotton ball with rubbing alcohol. blot the stain and rinse.

Surface

painted walls

Materials

- Cotton ball
- Sponge
- Liquid dish soap
- Cold water
- Soft Scrub (mild abrssive clesnsr)
- Rubbing alcohol

Procedure

Remove all large pieces of dried dough manually. Add liquid dish soap to cold water. Wash the stain in a circular motion using a sponge and rinse. If stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If stain persists, saturate a cotton ball with rubbing alcohol. blot the stain and rinse.

Surface

Materials

- Cotton ball
- Sponge
- Liquid dish soap
- Cold water
- Soft Scrub (mild abrssive clesnsr)
- Rubbing alcohol

Procedure

Remove all large pieces of dried dough manually. Add liquid dish soap to cold water. Wash the stain in a circular motion using a sponge and rinse. If stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If stain persists, saturate a cotton ball with rubbing alcohol. blot the stain and rinse.

Surface

scrubbable type wall covering

Materials

- Cotton ball
- Sponge
- Liquid dish soap
- Cold water
- Soft Scrub (mild abrssive clesnsr)
- Rubbing alcohol

Procedure

Remove all large pieces of dried dough manually. Add liquid dish detergent to cold water. Wash the stain in a circular motion using a sponge and rinse. If stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If stain persists, saturate a cotton ball with rubbing alcohol. blot the stain and rinse.

Surface

upholstery

Materials

- Stiff bristle brush
- Sponge
- Liquid dish soap
- Cold water

Procedure

Remove any large clumps of wet dough manually. Do not rub wet dough into carpet or fabric fibers. Allow dough to dry overnight or at least 4 hours. Add liquid dish detergent to cold water. Slowly work the dough out of the carpet or fabric using the soapy water and a stiff bristle brush. Manually remove pieces of dough as they are loosened from the stained area to prevent the dough from getting worked back into the fibers. Blot stain away with a damp sponge. If stain persists, use Resolve carpet cleaner according to the directions on the container.

Surface

vinyl flooring–no wax

Materials

- Cotton ball
- Sponge
- Liquid dish soap
- Cold water
- Soft Scrub (mild abrassive clesnsner)
- Rubbing alcohol

Procedure

Remove all large pieces of dried dough manually. Add liquid dish detergent to cold water. Wash the stain in a circular motion using a sponge and rinse. If stain remains, apply Soft Scrub with a damp sponge, work in a circular motion and rinse. If stain persists, saturate a cotton ball with rubbing alcohol. blot the stain and rinse.

Surface

washable fabric

Materials

- Laundry detergent

Procedure

Remove any large wet or dry pieces of dough manually. Do not rub wet dough into fabric. Follow normal washing instructions for garment. If stain remains, do not dry the garment. Rewash following normal washing instructions.

Model Magic® Model Magic Fusion

Surface

appliance

Materials

- Dull knife or metal spoon
- Rubbing alcohol
- Sponge
- Cotton balls
- Liquid dish soap

Procedure

Allow Model Magic compound to dry overnight. Scrape off excess Model Magic compound with a dull-edge knife or metal spoon. Add liquid dish detergent to water. Wash the stain away with the soapy water and sponge and rinse. If any stain remains, saturate a cotton ball with rubbing alcohol, blot the stain and rinse.

Surface

brick and tile

Materials

- Mild dish soap
- Warm water
- Nylon bursh

Procedure

Only for the colors of blue, yellow and red. Add mild dish soap to warm water and mix. Apply the soapy mixture to the cement/brick/tile with a nylon brush since this is a rough surface. 409 may also be used.

Surface

carpet

Materials

- Dull knife or metal spoon
- Sponge
- Liquid dish soap

Procedure

Allow Model Magic compound to dry overnight. Scrape off excess Model Magic compound with a dull-edge knife or metal spoon. With a small, stiff bristle brush, work the stained area with a mixture of liquid dish detergent and water. Wipe stain away with a damp sponge. If stain remains, repeat the procedure. If stain persists, use Resolve carpet cleaner according to the directions on the container.

Surface

cement

Materials

- Mild dish soap
- Warm water
- Nylon bursh

Procedure

Only for the colors of blue, yellow and red. Add mild dish soap to warm water and mix. Apply the soapy mixture to the cement/brick/tile with a nylon brush since this is a rough surface. 409 may also be used.

Surface

durable cloth car interiors

Materials

- Dull knife or metal spoon
- Small stiff bristle brush
- Sponge
- Liquid dish soap

Procedure

Allow Model Magic compound to dry overnight. Scrape off excess Model Magic compound with a dull-edge knife or metal spoon. With a small, stiff bristle brush, work the stained area with a mixture of liquid dish detergent and water. Wipe stain away with a damp sponge. If stain remains, repeat the procedure. If stain persists, use Resolve carpet cleaner according to the directions on the container.

Surface

finished wood (paint, stain, varnish)

Materials

- Dull knife or metal spoon
- Rubbing alcohol
- Sponge
- Cotton balls
- Liquid dish soap

Procedure

Allow Model Magic compound to dry overnight. Scrape off excess Model Magic compound with a dull-edge knife or metal spoon. Add liquid dish detergent to water. Wash the stain away with the soapy water and sponge and rinse. If any stain remains, saturate a cotton ball with rubbing alcohol, blot the stain and rinse.

Surface

Formica®

Materials

- Dull knife or metal spoon
- Rubbing alcohol
- Sponge
- Cotton balls
- Liquid dish soap

Procedure

Allow Model Magic compound to dry overnight. Scrape off excess Model Magic compound with a dull-edge knife or metal spoon. Add liquid dish detergent to water. Wash the stain away with the soapy water and sponge and rinse. If any stain remains, saturate a cotton ball with rubbing alcohol, blot the stain and rinse.

Surface

painted walls

Materials

- Dull knife or metal spoon
- Rubbing alcohol
- Sponge
- Cotton balls
- Liquid dish soap

Procedure

Allow Model Magic/Fluff Stuff compound to dry overnight. Scrape off excess Model

Magic/Fluff Stuff compound with a dull-edge knife or metal spoon. Add liquid dish detergent to water. Wash the stain away with the soapy water and sponge and rinse. If any stain remains, saturate a cotton ball with rubbing alcohol, blot the stain and rinse.

Surface

paneling

Materials

- Dull knife or metal spoon
- Rubbing alcohol
- Sponge
- Cotton balls
- Liquid dish soap

Procedure

Allow Model Magic compound to dry overnight. Scrape off excess Model Magic compound with a dull-edge knife or metal spoon. Add liquid dish detergent to water. Wash the stain away with the soapy water and sponge and rinse. If any stain remains, saturate a cotton ball with rubbing alcohol, blot the stain and rinse.

Surface

plastic

Materials

- Dull knife or metal spoon
- Rubbing alcohol
- Sponge
- Cotton balls
- Liquid dish soap

Procedure

Allow Model Magic compound to dry overnight. Scrape off excess Model Magic compound with a dull-edge knife or metal spoon. Add liquid dish detergent to water. Wash the stain away with the soapy water and sponge and rinse. If any stain remains, saturate a cotton ball with rubbing alcohol, blot the stain and rinse.

Surface

scrubbable type wall covering

Materials

- Dull knife or metal spoon

- Rubbing alcohol
- Sponge
- Cotton balls
- Liquid dish soap

Procedure

Allow Model Magic compound to dry overnight. Scrape off excess Model Magic compound with a dull-edge knife or metal spoon. Add liquid dish detergent to water. Wash the stain away with the soapy water and sponge and rinse. If any stain remains, saturate a cotton ball with rubbing alcohol, blot the stain and rinse.

Surface

upholstery

Materials

- Dull knife or metal spoon
- Sponge
- Liquid dish soap
- Small stiff bristle brush

Procedure

Allow Model Magic compound to dry overnight. Scrape off excess Model Magic compound with a dull-edge knife or metal spoon. With a small, stiff bristle brush, work the stained area with a mixture of liquid dish detergent and water. Wipe stain away with a damp sponge. If stain remains, repeat the procedure. If stain persists, use Resolve carpet cleaner according to the directions on the container.

Surface

vinyl flooring

Materials

- Dull knife or metal spoon
- Sponge
- Cotton balls
- Liquid dish soap
- Rubbing alcohol

Procedure

Allow Model Magic compound to dry overnight. Scrape off Model Magic compound with a dull-edge knife or metal spoon. Add liquid dish detergent to water. Wash the stain away with the soapy water and sponge and rinse. If any stain remains, saturate a cotton ball with rubbing alcohol, blot the stain and rinse.

washable fabric

Materials

- Laundry detergent
- Pre-wash laundry stain remover

Procedure

Remove as much excess Model Magic as possible from fabric. Wash in hot water with laundry detergent and rinse in cold water. Check fabric prior to drying. If stain persists, rewash then dry. If stain has been left for extended period of time, use following pretreatment suggestion: Remove as much excess Model Magic from fabric as possible. Use pre-wash laundry stain remover according to directions on container. Work pre-wash into stained fabric. Wash in hot water with laundry detergent and rinse in cold water. If stain persists, do not dry. Repeat pretreatment and wash cycle, then dry.

Modeling Clay

Surface

appliances

Materials

- WD-40® (car part lubricant)
- Cotton balls
- Soft cloth or sponge
- Liquid dish soap
- Rubbing alcohol

Procedure

Spray the surface to be cleaned with WD-40 and wipe clean with a soft cloth. If any stain remains, saturate a cotton ball with rubbing alcohol, blot the stain and rinse. Wipe any remaining residue with a damp sponge or cloth moistened with liquid dish soap.

Surface

carpet

Materials

- Dull knife or metal spoon
- WD-40® (car part lubricant)
- Cotton balls
- Soft cloth or sponge
- Liquid dish soap
- Rubbing alcohol

Procedure

Scrape excess clay with a dull knife or metal spoon. Spray with WD-40 and let stand a few minutes. Again, scrape excess clay with dull knife or metal spoon. Respray with WD-40 and wipe stain with cotton balls. If any stain remains, saturate a cotton ball with rubbing alcohol, blot the stain and rinse. Wipe any remaining residue or remaining stain with a damp sponge or cloth moistened with liquid dish soap.

Surface

durable cloth car interiors

Materials

- Dull knife or metal spoon
- WD-40® (car part lubricant)
- Cotton balls
- Soft cloth or sponge
- Liquid dish soap
- Rubbing alcohol

Procedure

Scrape excess clay with a dull knife or metal spoon. Spray with WD-40 and let stand a few minutes. Again, scrape excess clay with dull knife or metal spoon. Respray with WD-40 and wipe stain with cotton balls. If any stain remains, saturate a cotton ball with rubbing alcohol, blot the stain and rinse. Wipe any remaining residue or remaining stain with a damp sponge or cloth moistened with liquid dish soap.

Surface

fabric

Materials

- Dull knife or metal spoon
- WD-40® (car part lubricant)
- Cotton balls
- Soft cloth or sponge
- Liquid dish soap
- Rubbing alcohol

Procedure

Scrape excess clay with a dull knife or metal spoon. Spray with WD-40 and let stand a few minutes. Again, scrape excess clay with dull knife or metal spoon. Respray with WD-40 and wipe stain with cotton balls. If any stain remains, saturate a cotton ball with rubbing alcohol, blot the stain and rinse. Wipe any remaining residue or remaining stain with a damp sponge or cloth moistened with liquid dish soap.

Surface

Formica®

Materials

- WD-40® (car part lubricant)
- Cotton balls
- Soft cloth or sponge
- Liquid dish soap
- Rubbing alcohol

Procedure

Spray the surface to be cleaned with WD-40 and wipe clean with a soft cloth. If any stain remains, saturate a cotton ball with rubbing alcohol, blot the stain and rinse. Wipe any remaining residue with a damp sponge or cloth moistened with liquid dish soap.

Surface

Painted wood

Materials

- WD-40® (car part lubricant)
- Cotton balls
- Soft cloth or sponge
- Liquid dish soap
- Rubbing alcohol

Procedure

Spray the surface to be cleaned with WD-40 and wipe clean with a soft cloth. If any stain remains, saturate a cotton ball with rubbing alcohol, blot the stain and rinse. Wipe any remaining residue with a damp sponge or cloth moistened with liquid dish soap.

Surface

paneling

Materials

- WD-40® (car part lubricant)
- Cotton balls
- Soft cloth or sponge
- Liquid dish soap
- Rubbing alcohol

Procedure

Spray the surface to be cleaned with WD-40 and wipe clean with a soft cloth. If any stain remains, saturate a cotton ball with rubbing alcohol, blot the stain and rinse. Wipe any remaining residue with a damp sponge or cloth moistened with liquid dish soap.

Surface

plastic

Materials

- WD-40® (car part lubricant)
- Cotton balls
- Soft cloth or sponge

- Liquid dish soap
- Rubbing alcohol

Procedure

Spray the surface to be cleaned with WD-40 and wipe clean with a soft cloth. If any stain remains, saturate a cotton ball with rubbing alcohol, blot the stain and rinse. Wipe any remaining residue with a damp sponge or cloth moistened with liquid dish soap.

Surface

vinyl floor – no wax

Materials

- WD-40® (car part lubricant)
- Cotton balls
- Soft cloth or sponge
- Liquid dish soap
- Rubbing alcohol

Procedure

Spray the surface to be cleaned with WD-40 and wipe clean with a soft cloth. If any stain remains, saturate a cotton ball with rubbing alcohol, blot the stain and rinse. Wipe any remaining residue with a damp sponge or cloth moistened with liquid dish soap.

Wet Set(TM) Clay

Surface

carpet and upholstery

Materials

- Spot remover for dry clean only fabric

Procedure

Spot remover for dry clean only fabric according to directions on container.

Surface

durable cloth car interiors

Materials

- Spot remover for dry clean only fabric

Procedure

Apply spot remover for dry clean only fabric according to the directions on container.

Surface

household surfaces

Materials

- Paper towels
- Liquid dish soap

Procedure

Most surfaces can be cleaned with absorbent paper towels and then if needed, soap and water or household cleaners.

Surface

wallpaper

- Cotton swab
- Rubbing alcohol

Procedure

Lightly rub with a cotton swab soaked in rubbing alcohol.

Surface

washable fabrics

Materials

- Laundry detergent
- Pre-wash laundry stain remover

Procedure

Use pre-wash laundry stain remover according to directions on containers. Work pre-wash into fabric and rinse with warm water until no more color can be removed. Wash in hot water with laundry detergent and rinse in cold water. Severe stains will require several pretreatment and launderings to remove stain.
